

RIGLIETTI, ROBERT JOHN

DOB: 07/30/1995  
Sex: M  
Phone: (631) 793-2551  
Patient ID: 252171102

Age: 25  
Fasting: N

Specimen: ZD140995A  
Requisition: 0008010  
Lab Reference ID: 37511234  
Report Status: FINAL / SEE REPORT

Collected: 12/01/2020 13:24  
Received: 12/01/2020 13:25  
Reported: 12/02/2020 22:28

Client #: 90054509  
ESKANDER, EIRINY  
DIABETES AND ENDOCRINE  
SPECIALISTS  
16311 VENTURA BLVD STE 850  
ENCINO, CA 91436-1212  
Phone: (818) 918-2008  
Fax: (818) 483-4854

FASTING:NO

**▲ VITAMIN D,25-OH,TOTAL,IA**

Analyte	Value
<b>▲ VITAMIN D,25-OH,TOTAL,IA</b>	<b>23 L</b> Reference Range: 30-100 ng/mL
Vitamin D Status	25-OH Vitamin D:
Deficiency:	<20 ng/mL
Insufficiency:	20 - 29 ng/mL
Optimal:	> or = 30 ng/mL
For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssured(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs).	

**COMMENT**

See Note 1

Note 1

For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ199> (This link is being provided for informational/ educational purposes only.)

**COMPREHENSIVE METABOLIC PANEL**

Analyte	Value
<b>GLUCOSE</b>	<b>84</b> Reference Range: 65-139 mg/dL
Non-fasting reference interval	
<b>UREA NITROGEN (BUN)</b>	<b>16</b> Reference Range: 7-25 mg/dL
<b>CREATININE</b>	<b>0.93</b> Reference Range: 0.60-1.35 mg/dL
<b>eGFR NON-AFR. AMERICAN</b>	<b>114</b> Reference Range: > OR = 60 mL/min/1.73m2
<b>eGFR AFRICAN AMERICAN</b>	<b>132</b> Reference Range: > OR = 60 mL/min/1.73m2
<b>BUN/CREATININE RATIO</b>	<b>NOT APPLICABLE</b> Reference Range: 6-22 (calc)
<b>SODIUM</b>	<b>138</b> Reference Range: 135-146 mmol/L
<b>POTASSIUM</b>	<b>4.1</b> Reference Range: 3.5-5.3 mmol/L
<b>CHLORIDE</b>	<b>103</b> Reference Range: 98-110 mmol/L
<b>CARBON DIOXIDE</b>	<b>25</b> Reference Range: 20-32 mmol/L
<b>CALCIUM</b>	<b>10.1</b> Reference Range: 8.6-10.3 mg/dL
<b>PROTEIN, TOTAL</b>	<b>7.3</b> Reference Range: 6.1-8.1 g/dL
<b>ALBUMIN</b>	<b>5.0</b> Reference Range: 3.6-5.1 g/dL
<b>GLOBULIN</b>	<b>2.3</b> Reference Range: 1.9-3.7 g/dL (calc)
<b>ALBUMIN/GLOBULIN RATIO</b>	<b>2.2</b> Reference Range: 1.0-2.5 (calc)
<b>BILIRUBIN, TOTAL</b>	<b>0.8</b> Reference Range: 0.2-1.2 mg/dL
<b>ALKALINE PHOSPHATASE</b>	<b>71</b> Reference Range: 36-130 U/L

AST	17	Reference Range: 10-40 U/L
ALT	17	Reference Range: 9-46 U/L



### PTH, INTACT (ICMA) AND IONIZED CALCIUM

Analyte			Value	
<b>PARATHYROID HORMONE, INTACT</b>			<b>57</b>	Reference Range: 14-64 pg/mL
Interpretive Guide	Intact PTH	Calcium		
-----	-----	-----		
Normal Parathyroid	Normal	Normal		
Hypoparathyroidism	Low or Low Normal	Low		
Hyperparathyroidism				
Primary	Normal or High	High		
Secondary	High	Normal or Low		
Tertiary	High	High		
Non-Parathyroid				
Hypercalcemia	Low or Low Normal	High		
<b>CALCIUM</b>			<b>10.1</b>	Reference Range: 8.6-10.3 mg/dL
<b>CALCIUM, IONIZED</b>			<b>5.3</b>	Reference Range: 4.8-5.6 mg/dL

#### Performing Sites

EN Quest Diagnostics-West Hills, 8401 Fallbrook Ave, West Hills, CA 91304-3226 Laboratory Director: Tab Too-chinda MD

#### Key

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - ® and ™ - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2020 Quest Diagnostics Incorporated. All rights reserved.

